- 1. ESC Clinical Practice Guidelines: Acute and Chronic Heart Failure. http://www.escardio.org/guidelines-surveys/esc-guidelines/Pages/acute-chronic-heart-failure.aspx 2014.
- 2. Adler ED, Goldfinger JZ, Kalman J, Park ME, Meier DE. Palliative care in the treatment of advanced heart failure. Circulation. 2009;120(25):2597-606.
- 3. Allen LA, Stevenson LW, Grady KL, Goldstein NE, Matlock DD, Arnold RM, et al. Decision making in advanced heart failure: a scientific statement from the American Heart Association. Circulation. 2012;125(15):1928-52.
- 4. Allen LA SL, Grady KL, et al. . American Heart Association Council on Quality of Care and Outcomes Research Council on Cardiovascular Nursing Council on Clinical Cardiology Council on Cardiovascular Radiology and Intervention Council on Cardiovascular Surgery and Anesthesia. Decision making in advanced heart failure: a scientific statement from the American Heart Association
- . Circulation. 2012;125.
- 5. Anguita M, Comin J, Almenar L, Crespo M, Delgado J, Gonzalez-Costello J, et al. Comments on the ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012. A report of the Task Force of the Clinical Practice Guidelines Committee of the Spanish Society of Cardiology. Rev Esp Cardiol (Engl Ed). 2012;65(10):874-8.
- 6. Bakitas M, Dionne-Odom, J. N., Pamboukian, S. V., Tallaj, J., Kvale, E., Swetz, K. M., ... & Akyar, I. . Engaging patients and families to create a feasible clinical trial integrating palliative and heart failure care: results of the ENABLE CHF-PC pilot clinical trial. . BMC Palliative Care. 2017;16(1).
- 7. Barber R, et.al. A role for social workers in Improving Care setting transitions: A case Study. Social Work in Health Care. 2015;54(3).
- 8. Bekelman D, et.al. Symptoms, depression, and quality of life in patients with heart failure. Journal of Cardiac Failure. 2007;13(8).
- 9. Bekelman D, et.al. Feasibility and Acceptability of a Collaborative Care Intervention to Improve Symptoms and Quality of Life in Chronic Heart Failure: Mixed Methods Pilot Trial. Journal of Palliaitive Medicine. 2014;17(2).
- 10. Bekelman D, et.al. Development and Feasibility of a Structured Goals of Care Communication Guide. Journal of Palliaitive Medicine. 2017;20(9).
- 11. Bekelman DB, Allen LA, McBryde CF, Hattler B, Fairclough DL, Havranek EP, et al. Effect of a Collaborative Care Intervention vs Usual Care on Health Status of Patients With Chronic Heart Failure: The CASA Randomized Clinical Trial. JAMA Intern Med. 2018;178(4):511-9.
- 12. Bekelman DB, Havranek EP, Becker DM, Kutner JS, Peterson PN, Wittstein IS, et al. Symptoms, depression, and quality of life in patients with heart failure. J Card Fail. 2007;13(8):643-8.
- 13. Bernacki Rea. Development of the Serious Illness Care Program: A randomized controlled trial of a palliative care communication intervention. BMJ Open. 2015;5(10):e009032.

- 14. Boscart V, et.al. Implementation of an interprofessional communication and collabration intervention to improve care capacity for heart failure management in long term care. Journal of Interprofessional Care. 2017;31(5).
- 15. Braun L, et.al. Palliative Care and cardiovascular disease and strokeL a policy statement from the American Heart Association/American Stroke Association. Circulation. 2016;134(11).
- 16. Braun LT, Grady KL, Kutner JS, Adler E, Berlinger N, Boss R, et al. Palliative Care and Cardiovascular Disease and Stroke: A Policy Statement From the American Heart Association/American Stroke Association. Circulation. 2016;134(11):e198-225.
- 17. Cagle J, et.al. Psychosocial needs and interventions for heart failure patients and families recieving palliative care support: a systematic review. Heart Failure Rev. 2017(February 20, 2017).
- 18. Caldwell PH AH, Demers C. . Preferences of patients with heart failure for prognosis communication. Canadian Journal of Cardiology. 2007;23.
- 19. Cheang MH RG, Cheung CC, Thomas M. Current challenges in palliative care provision for heart failure in the UK: a survey on the perspectives of palliative care professionals. Open Heart. 2015.
- 20. Curtis RW, Douglas. Practical guidance for Evidence-Based ICU Conferences. CHEST. 2008;134(4).
- 21. Delmaczynska E, Newham, R. To explore the prevalence and outcomes of advance care planning for patients with left ventricular assist devices: A review. Journal of Clinical Nursing. 2018;28.
- 22. Disler RT, Inglis SC, Newton P, Currow DC, Macdonald PS, Glanville AR, et al. Older Patients' Perspectives of Online Health Approaches in Chronic Obstructive Pulmonary Disease. Telemed J E Health. 2019;25(9):840-6.
- 23. Ell K, et.al. Collaborative health literate depression care among predominately hispanic patints with coronary heart disease in safety net care. Psychosomatics: Journal of Consultation and Liaison Psychiatry. 2014;55(6).
- 24. Excellence NIfHaC. Chronic heart failure: management of chronic heart failure in adults in primary and secondary http://www.nice.org.uk/guidance/cg108/resources/guidance-chronic-heart-failure-pdf
- 25. Feldman D, Pamboukian SV, Teuteberg JJ, Birks E, Lietz K, Moore SA, et al. The 2013 International Society for Heart and Lung Transplantation Guidelines for mechanical circulatory support: executive summary. J Heart Lung Transplant. 2013;32(2):157-87.
- 26. Feldman D PS, Teuteberg JJ, et al. The 2013 International Society for Heart and Lung Transplantation guidelines for mechanical circulatory support: executive summary. Journal of Heart and Lung Transplant. 2013;32.
- 27. Fendler TJ SK, Allen LA. . Team-based palliative and end-of-life care for heart failure. Heart Failure Clin. 2015;11.
- 28. Flink Mea. The Supporting Patient Activation in Transition to Home (sPATH) intervention: a study protocol of a randomised controlled trial using motivational interviewing to decrease re-hospitalization for patients with COPD or heart failure. BMJ Open. 2017;7.
- 29. Genest J, McPherson R, Frohlich J, Anderson T, Campbell N, Carpentier A, et al. 2009 Canadian Cardiovascular Society/Canadian guidelines for the diagnosis and treatment of dyslipidemia and prevention of cardiovascular disease in the adult 2009 recommendations. Can J Cardiol. 2009;25(10):567-79.

- 30. Goldstein N, May, C., Meier, D. Comprehensive Care for Mechanical Circulatory Support. Circ Heart Fail. 2011;4:519-27.
- 31. Goldstein NE MC, Meier DE. . Comprehensive care for mechanical circulatory support: a new frontier for synergy with palliative care. . Circ Heart Fail. 2011;4.
- 32. Head B, Peters B, Middleton A, Friedman C, Guman N. Results of a nationwide hospice and palliative care social work job analysis. J Soc Work End Life Palliat Care. 2019;15(1):16-33.
- 33. Hopp F, Camp, J., Perry, T. Addressing Heart Failure Challenges through Illness-Informed Social Work. Health and Social Work. 2015;40(3).
- 34. Jaarsma T, Beattie JM, Ryder M, Rutten FH, McDonagh T, Mohacsi P, et al. Palliative care in heart failure: a position statement from the palliative care workshop of the Heart Failure Association of the European Society of Cardiology. Eur J Heart Fail. 2009;11(5):433-43.
- 35. Kavalieratos D, Gelfman, L. P., Tycon, L. E., Riegel, B., Bekelman, D. B., Ikejiani, D. Z., ... & Arnold, R. M. Palliative care in heart failure: rationale, evidence, and future priorities. Journal of the American College of Cardiology. 2017;70(15).
- 36. Kavalieratos D, Gelfman LP, Tycon LE, Riegel B, Bekelman DB, Ikejiani DZ, et al. Palliative Care in Heart Failure: Rationale, Evidence, and Future Priorities. J Am Coll Cardiol. 2017;70(15):1919-30.
- 37. Kirkpatrick J, et.al. Caregivers and Left Ventricular Assist Devices as a Destination Not a Journey. Journal of Cardiac Failure. 2015;21(10):806-15.
- 38. Knoepke CE, Johnson-Koenke, R. Shockingly uninvolved: Potential for social work practice and leadership in implanted defibrillator care. Health and Social Work. 2015;41(1):e38-e43.
- 39. Lewin WH, and Kristen G. Schaefer. . Integrating palliative care into routine care of patients with heart failure: models for clinical collaboration. Heart Failure Rev. 2017;22(5).
- 40. Low J, Pattenden J, Candy B, Beattie JM, Jones L. Palliative care in advanced heart failure: an international review of the perspectives of recipients and health professionals on care provision. J Card Fail. 2011;17(3):231-52.
- 41. Magid M, et.al. The Perceptions of Important Elements of Caregiving for a Left Ventricular Assist Device Patient. Journal of Cardiovascular Nursing. 2016;31(3):215-25.
- 42. McIIvennan C, Allen, L. Palliative Care in patient with Heart Failure. BMJ. 2016;353.
- 43. McIlvennan C, et.al. Bereaved Caregiver Perspectives on the End-Of-Life Experience of Patients with a Left Ventricular Assist Device. JAMA Internal Medicine. 2016(March 21, 2017).
- 44. Nelson J, et.al. The Voice of Surrogate Decision-Makers. American journal of respiratory and critical care medicine. 2017;196(7).
- 45. O'Donnell A, Gonyea JG, Leff V. Social work involvement in palliative care heart failure research: a review of recent literature. Curr Opin Support Palliat Care. 2020;14(1):3-8.
- 46. O'Donnell AE, Schaefer KG, Stevenson LW, DeVoe K, Walsh K, Mehra MR, et al. Social Worker-Aided Palliative Care Intervention in High-risk Patients With Heart Failure (SWAP-HF): A Pilot Randomized Clinical Trial. JAMA Cardiol. 2018;3(6):516-9.
- 47. Otis-Green S, Juarez, Gloria. Enhancing the social well-being of family caregivers. Seminars in Oncology Nursing. 2012;28(4).
- 48. Pande R, et.al. Leveraging Remote Behavioral Health Interventions to Improve Medical Outcomes and Reduce Costs. AJMC. 2015;21(2).

- 49. Peterson KJ. Shared decision making in health care settings: A role for social work. Social Work in Health Care. 2012;51(10):894-908.
- 50. Petrucci R, et.al. Ethical Considerations for Ventricular Assist Device Support: A 10-Point Model. Adult Circulatory Support. 2011:268-73.
- 51. Rogers JG, et.al. Palliative care in heart failure: the PAL-HF randomized, controlled clinical trial. Journal of the American College of Cardiology. 2017;70(3).
- 53. Rosen D, Berrios-Thomas S, Engel RJ. Increasing self-knowledge: Utilizing tele-coaching for patients with congestive heart failure. Soc Work Health Care. 2016;55(9):711-9.
- 54. Sandau KE, Hoglund BA, Weaver CE, Boisjolie C, Feldman D. A conceptual definition of quality of life with a left ventricular assist device: results from a qualitative study. Heart Lung. 2014;43(1):32-40.
- 55. Schichtel M, Wee, B., Perera, R., Onakpoya, I., lbury, C., Barber, S. Clinician-targeted interventions to improve advance care planning in heart failure: a systematic review and meta-analysis. Heart Journal. 2019;0:1-9.
- 56. Schulz V, et.al. Beyond Simple Planning: Existential Dimensions of Conversations with Patients at Risk of Dying from Heart Failure. Journal of Pain and Symptom Management. 2017;54(5).
- 57. Siouta N, et.al. Early integrated palliaitve care in chronic heart failure and chronic obstructive pulmonary disease: protocol of a feasibility before-after intervention study. Pilot and Feasibility Studies. 2019;5(31).
- 58. Stein G, Cagle, J., Christ, G. Social Work involvement in advance care planning: finding from a large survey of social workers in hospice and palliative care settings. Journal of Palliaitive Medicine. 2017;20(3):253-9.
- 59. Sussman T, et.al. Condition-Specific Pamphlets to Improve End-Of-Life Communication in Long Term Care: Staff Perceptions on Isability and Use. JAMDA. 2018;20:262-7.
- 60. Swartz J. Program Preferences to Reduce Stress in Caregivers of Patients with Brain Tumors. Clinical Journal of Oncology Nursing, 2006;11(5).
- 61. Swetz K, et.al. Palliative Medicine Consultation for Preparedness Planning in Patients Recieving Left Ventricular Assist Devices as Destination therapy. Mayo Clin Proc. 2011;86(6).
- 62. Swetz K, Oteenberg, A., Freeman, M., Mueller, P. Palliative Care and End-of-Life Issues in Patients Treated with Left Ventircular Assist Devices as Destination Therapy. Curr Heart Fail Rep. 2011;8:212-8.
- 63. Swetz K, et.al. Preparedness Planning Before Mechanical Circulatory Support. Journal of Pain and Symptom Management. 2014;47(4).
- 64. Verdoorn BP, Luckhardt AJ, Wordingham SE, Dunlay SM, Swetz KM. Palliative Medicine and Preparedness Planning for Patients Receiving Left Ventricular Assist Device as Destination Therapy-Challenges to Measuring Impact and Change in Institutional Culture. J Pain Symptom Manage. 2017.
- 65. Woodburn JL, Staley LL, Wordingham SE, Spadafore J, Boldea E, Williamson S, et al. Destination Therapy: Standardizing the Role of Palliative Medicine and Delineating the DT-LVAD Journey. J Pain Symptom Manage. 2019;57(2):330-40 e4.